



## COVID-19—Exposure in TK-12 Schools

Your child may have been exposed to this illness on Friday, 6/3/22 and Monday, 6/6/22.

Your child is **NOT** required to quarantine at home at this time. It is strongly recommended that your child wear a mask at school, in activities, and in public until negative test results are received on day 5 after the exposure.

Please closely monitor your child for symptoms for 10 days. If symptoms develop, stay home and test immediately.

**\* If you need tests, please contact Mrs. Eveta Jackson at [ejackson@smcsd.org](mailto:ejackson@smcsd.org) or stop by the main office at the Phillips Campus**

### COVID-19 can cause these symptoms:

- Fever and/or chills
- Cough
- Sore throat
- Loss of taste and/or smell
- Runny or stuffy nose
- Muscle or body aches
- Headaches
- Fatigue (tiredness)
- Vomiting and/or diarrhea

Symptoms usually start 2 to 10 days after a person is exposed to the virus.

COVID-19 can cause serious illness in children with underlying conditions and in older adults.

### What should I do now?

**Watch your child** for symptoms of this illness for 10 days. If your child develops any of the symptoms above, isolate your child from others they live with and test your child for COVID-19. Go to the hospital if your child is having difficulty breathing or is unresponsive. A child with COVID-19 may NOT return to school or activities outside the home until they have completed their prescribed isolation period. Please notify your school if your child tests positive for COVID-19.

**For more information on how to safely isolate contact your health care provider, or visit:** <https://coronavirus.marinhhs.org/>

**Everyone who is eligible should receive the COVID-19 vaccine to reduce the risk of getting sick.**

### How is COVID-19 spread ?

COVID-19 is spread in 3 main ways:

- Breathing in air when close to an infected person.
- By droplets from talking, coughing and sneezing that land in the eyes, mouth or nose.
- Touching eyes, nose or mouth with hands that have the virus on them.

An infected person can spread COVID-19 starting from 2 days before they had symptoms (or for people without symptoms 2 days before they tested positive) until they meet criteria for discontinuing home isolation.